



County of San Bernardino • Department of Public Health DIVISION OF ENVIRONMENTAL HEALTH SERVICES

385 N. Arrowhead Ave. San Bernardino, CA 92415-0160 1647 W. Holt Blvd. Ontario, CA 91761 13911 Park Ave., Suite 200 Victorville, CA 92392

APPLICATION FOR POOL AND SPA PLAN REVIEW

Pro	oject Name	
Pro	eject Location	Phone ()
Ow	rner	Phone ()
Add	dress	
Co	ntractor	Phone ()
DO	O NOT WRITE BELOW THIS LINE	DO NOT WRITE BELOW THIS LINE
1. Pool SR No		1. Spa SR No
2. Pool FA No		2. Spa FA No
3. Surface area sq. ft.		3. Surface area sq. ft.
4. No. of skimmers		4. No. of skimmers
5. Occupant capacity		5. Occupant capacity
6. Pool capacity gal.		6. Spa capacity gal.
7. Minimum gpm required		7. Minimum gpm required
	Pool plan not approved; plans are returned for corrections. Three (3) new corrected and detailed copies of the plans are to be resubmitted for approval by this department. Return one coy of rejected plans.	☐ Spa plan not approved; plans are returned for corrections. Three (3) new corrected and detailed copies of the plans are to be resubmitted for approval by this department. Return one coy of rejected plans.
	POOL PLAN APPROVED AS CORRECTED.	☐ SPA PLAN APPROVED AS CORRECTED.
	POOL PLAN APPROVED AS SUBMITTED.	☐ SPA PLAN APPROVED AS SUBMITTED.
		Pool Fee
		Spa Fee
		TOTAL FEE
		Receipt No
		Date Received
Plans checked by		☐ Premliminary Reject
	tePhone ()	